	1		2		3	4	5	
			2 4 2.9			30 TECHNICAL CHARACT   MATERIAL INSULATOR: PA 66   FLAMMABILITY RATING COLOR: GREEN & OR/   CONTACT MATERIAL: CONTACT PLATING: TI   CONTACT TYPE: STAW ENVIRONMENTAL   OPERATING TEMPER/ COMPLIANCE: LEAD F   CONTACT RESISTANC ELECTRICAL   CURRENT RATING: WORKING VOLTAGE:   WITHSTANDING VOLT CONTACT RESISTANC   STANDARD STANDARD   STRANDED WIRE: 2   STRANDED WIRE: 2   PITCH: 3.81 MM PACKAGING:   BOX ENVIRONMENTAL	ERISTICS 3: UL94-V0 NGE COPPER ALLOY N IPED ITURE: -40 UP TO 115°C REE AND ROHS CULUS 5A 300VAC AGE: 1.6KV E: 20 mOhm max 414 22-20 AWG / 0.326-0.518 MM <sup>2</sup> 22-20 AWG / 0.326-0.518 MM <sup>2</sup> 22-20 AWG / 0.326-0.518 MM <sup>2</sup>	
R G	oHS Compliant		PROJECTION:		GENERAL TOLERANCE			
F			$\neg                                    $		.X = <sup>+</sup> /_ 0.2			ļ
E D			$\neg$	$\blacksquare$	.XX = <sup>+</sup> /_ 0.15			
D C			APPROVAL: FB	r	UNIT: MM	DESCRIPTION: SERIE 3583 - 3.81 MM IDC PL	UG HORIZONTAL ENTRY	'E
_			AFFRUVAL. FB	I	SCALE:			
B I	I I						A	Λ
B A	08-JUN-15 PDF	AK			SHEET: 1/2	WERI PART NO: 691 358 310 0xx		4

1	2	3	4	5	-
					_

А

В

С

## **Cautions and Warnings:**

This electronic component is designed and developed with the intention for use

in general electronics equipments.

Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body, Wurth Elektronik must be asked for a written approval.

In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before by the user before usage.

R	oHS Compliant							
G				PROJECTION:	GENERAL TOLERANCE			]
F					.X = <sup>+</sup> /_ 0.2			
E					.XX = <sup>+</sup> /_ 0.15			
D						WÜRTH ELEKTRONĬK		
С				APPROVAL: JC	UNIT: MM	DESCRIPTION: DISCLAIMER	SIZE	lD
В				]	SCALE:			٢
A	10-SEP-14	PDF	QL	1	SHEET: 2/2	WERI PART NO: DISCLAIMER	<b>A4</b>	
REV	DATE	FILE	BY		DRAW: QL			